

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	706	(generat\$3 with (content near type\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:04
S2	45	((generat\$3 with (content near type\$1)) same (set with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:20
S3	50	((("5684969") or ("5706210") or ("5886255") or ("4758980") or ("4982390") or ("5181162") or ("5502832") or ("5552833") or ("5611067") or ("5666585") or ("5796403") or ("5808612") or ("5842213") or ("5890188") or ("5893095") or ("5911139") or ("5913205") or ("5915250") or ("6006264") or ("6078513") or ("6138088") or ("4792910") or ("4799192") or ("5193182") or ("5249300") or ("5355474") or ("5448728") or ("5517633") or ("5574845") or ("5659699") or ("5754841") or ("5787446") or ("5832499") or ("5845288") or ("5857197") or ("5870559") or ("5881381") or ("5890149") or ("5958008") or ("5987459") or ("6002772") or ("6021410") or ("6026467") or ("6029160") or ("6038594") or ("6049777") or ("6076077") or ("6088694") or ("6092080") or ("6144962"))).PN.	USPAT; USOCR	OR	OFF	2006/04/20 15:18
S4	7	S3 and (content near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:21
S5	0	S3 and (instatiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:21

## EAST Search History

S6	7	S3 and (instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:21
S7	3	S3 and (instantiat\$3) and (content with type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:22
S8	337	(generat\$3 with content\$1 with type\$1) and (instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:24
S9	86	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:25
S10	74	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1) and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:27
S11	59	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1) and database\$1 and key\$3 and quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:28
S12	48	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1) and database\$1 and key\$3 and quer\$3 and (instance\$1 with (content or object\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:28
S13	24	(generat\$3 with content\$1 with type\$1) and (instantiat\$3 with content\$1) and database\$1 and key\$3 and quer\$3 and (instance\$1 with (content or object\$1)) and (content with sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:29

## EAST Search History

S14	7494	(generat\$3 with ((content or data) near type\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:44
S15	13	(generat\$3 with ((content or data) near type\$1)) and (instantiat\$3 with content\$1 with instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:46
S16	2866623	(database\$1 or data\$1base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:30
S17	46675	(database\$1 or data\$1base) and ((data or content) near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:47
S18	10996	(database\$1 or data\$1base) and ((data or content) near type\$1) and ((associat\$3 or link\$3 or map\$3) with data with type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:48
S19	5021	(database\$1 or data\$1base) and ((data or content) near type\$1) and ((associat\$3 or link\$3 or map\$3) with data with type\$1) and (type\$1 with (parameter\$1 or attribute\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:49
S20	537	(database\$1 or data\$1base) and ((data or content) near type\$1) and ((associat\$3 or link\$3 or map\$3) with data with type\$1) and (content with type\$1 with (parameter\$1 or attribute\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:50
S21	8	(database\$1 or data\$1base) and ((data or content) near type\$1) and ((associat\$3 or link\$3 or map\$3) with data with type\$1) and (content with type\$1 with (parameter\$1 or attribute\$1)) and (instantiat\$3 with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:15

## EAST Search History

S22	1341	"content management system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:15
S23	349	"content management system" and (content near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:16
S24	31	"content management system" and (content near type\$1) and (instantiat\$3 with content\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:16
S25	1259	((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:34
S26	2524	((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:34
S27	754	((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:36
S28	0	((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1)) and (instantiat\$3 with (content near instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:40

## EAST Search History

S29	8	((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1)) and (instantiat\$3 with (content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:11
S30	16498	(content near type) and ((set or group or subset) near\$5 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:12
S31	10629	(content near type) and (((set or group or subset) near\$5 data) with (generat\$3 or associat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:13
S32	723	(content near type) and (((set or group or subset) near\$5 data) with (generat\$3 or associat\$3)) and ((content near type) with (parameter\$1 or attribute\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:14
S33	6	(content near type) and (((set or group or subset) near\$5 data) with (generat\$3 or associat\$3)) and ((content near type) with (parameter\$1 or attribute\$1)) and (instantiat\$3 with (content near type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 17:18
S34	17564	(content near type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:18
S35	145	(content near type\$1) and (set\$1 near\$5 data) and (parameter\$1 and attribute\$1) and (instantiat\$3 with instance\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:21
S36	108	(content near type\$1) and (set\$1 near\$5 data) and (parameter\$1 and attribute\$1) and (instantiat\$3 with instance\$1) and automatic\$4 and database\$1 and key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:22

## EAST Search History

S37	51	((content near type\$1) same (set\$1 near\$5 data)) and (parameter\$1 and attribute\$1) and (instantiat\$3 with instance\$1) and automatic\$4 and database\$1 and key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:23
S38	27	((content near type\$1) same (set\$1 near\$5 data)) and (parameter\$1 and attribute\$1) and ((instantiat\$3 with instance\$1) same (content or type\$1)) and automatic\$4 and database\$1 and key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:38
S39	1	("20030105770").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/21 08:40
S40	3084	(key with (data)) and (key with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:43
S41	0	(key with (data)) and (key with quer\$3) and (key with ("content instance"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:44
S42	29	(key with (data)) and (key with quer\$3) and (key with (content with instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:50
S43	13	("20030212697"   "5603026"   "5684984"   "5787442"   "5832225"   "5838965"   "5991766"   "6263433"   "6269432"   "6421688"   "6523036"   "6751636"   "6829630").PN. OR ("6898609").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/21 08:48
S44	561	(key with (data)) and (key with quer\$3) and (key with (instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:50

## EAST Search History

S45	3	(key with (data)) and (key with quer\$3) and (key with (instance)) and (automatic\$4 with instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 08:55
S46	7	(key with (data)) and (key with quer\$3) and (key with (instance)) and (automatic\$4 same instantiat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:59
S47	8086	(migrat\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:00
S48	56	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:00
S49	45	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1)) and (key with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:01
S50	4	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1)) and (key with data) and (key with quer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:04
S51	36	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1)) and (key with data) and instantiat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:11

## EAST Search History

S52	35	(migrat\$3 with data) and ((generat\$3 or creat\$3) with ((content or data) near type\$1)) and ((associat\$3 or link\$3 or map\$3) with data with ((content or data) near type)) and (((content or data) near type) with (parameter\$1 or attribute\$1)) and (key with data) and instantiat\$3 and instance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/24 09:54
-----	----	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------	----	----	------------------